

bayesstats — Bayesian statistics after Bayesian estimation

[Description](#) [Also see](#)

Description

The following subcommands are available with `bayesstats` after `bayesmh` and the `bayes` prefix:

Command	Description
<code>bayesstats ess</code>	effective sample sizes and related statistics
<code>bayesstats summary</code>	Bayesian summary statistics for model parameters and their functions
<code>bayesstats ic</code>	Bayesian information criteria and Bayes factors
<code>bayesstats grubin</code>	Gelman–Rubin convergence diagnostics
<code>bayesstats pvalues</code>	Bayesian predictive p -values (available only after <code>bayesmh</code>)

Also see

[\[BAYES\] Bayesian estimation](#) — Bayesian estimation commands

[\[BAYES\] Bayesian postestimation](#) — Postestimation tools for `bayesmh` and the `bayes` prefix

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).