

mi estimate using — Estimation using previously saved estimation results[Description](#)[Remarks and examples](#)[Also see](#)[Menu](#)[Stored results](#)[Syntax](#)[Methods and formulas](#)[Options](#)[References](#)

Description

`mi estimate using miestfile` is for use after `mi estimate, saving(miestfile): ...`. It allows obtaining multiple-imputation (MI) estimates, including standard errors and confidence intervals, for transformed coefficients or the original coefficients, this time calculated on a subset of the imputations. The transformation can be linear or nonlinear.

Menu

Statistics > Multiple imputation

Syntax

Compute MI estimates of coefficients using previously saved estimation results

```
mi estimate using miestfile [, options]
```

Compute MI estimates of transformed coefficients using previously saved estimation results

```
mi estimate [spec] using miestfile [, options]
```

where *spec* may be one or more terms of the form (`[name:]` *exp*). *exp* is any function of the parameter estimates allowed by `nlcom`; see [\[R\] nlcom](#).

miestfile.ster contains estimation results previously saved by `mi estimate, saving(miestfile)`; see [\[MI\] mi estimate](#).

2 mi estimate using — Estimation using previously saved estimation results

<i>options</i>	Description
Options	
<u>n</u> imputations(#)	specify number of imputations to use; default is to use all existing imputations
<u>i</u> mputations(<i>numlist</i>)	specify which imputations to use
<u>e</u> stimations(<i>numlist</i>)	specify which estimation results to use
<u>m</u> cerror	compute Monte Carlo error estimates
<u>u</u> fmitest	perform unrestricted FMI model test
nosmall	do not apply small-sample correction to degrees of freedom
Tables	
<u>[no]</u> citable	suppress/display standard estimation table containing parameter-specific confidence intervals; default is <code>citable</code>
<u>d</u> ftable	display degrees-of-freedom table; <code>dftable</code> implies <code>nocitable</code>
<u>v</u> artable	display variance information about estimates; <code>var</code> implies <code>citable</code>
<i>table_options</i>	control table output
<i>display_options</i>	control columns and column formats, row spacing, display of omitted variables and base and empty cells, and factor-variable labeling
Reporting	
<u>l</u> evel(#)	set confidence level; default is <code>level(95)</code>
<u>d</u> ots	display dots as estimations are performed
<u>n</u> oisily	display any output from <code>nlcom</code> if transformations are specified
<u>t</u> race	trace <code>nlcom</code> if transformations are specified; implies <code>noisily</code>
<u>r</u> eplay	replay command-specific results from each individual estimation in <code>miestfile.ster</code> ; implies <code>noisily</code>
<u>c</u> mdlegend	display the command legend
<u>n</u> ogroup	suppress summary about groups displayed for <code>xt</code> commands
<i>me_options</i>	control output from mixed-effects commands
Advanced	
<u>e</u> rrorok	allow estimation even when <code>nlcom</code> errors out in some imputations; such imputations are discarded from the analysis
<u>c</u> oefflegend	display legend instead of statistics
<u>n</u> owarning	suppress the warning about varying estimation samples
<u>n</u> oerrnotes	suppress error notes associated with failed estimation results in <code>miestfile.ster</code>
<u>s</u> howimputations	show imputations saved in <code>miestfile.ster</code>
<i>eform_option</i>	display coefficient table in exponentiated form
<u>p</u> ost	post estimated coefficients and VCE to <code>e(b)</code> and <code>e(V)</code>

`coeflegend`, `nowarning`, `noerrnotes`, `showimputations`, `eform_option`, and `post` do not appear in the dialog box.

<i>table_options</i>	Description
<code>noheader</code>	suppress table header(s)
<code>notable</code>	suppress table(s)
<code>nocoeff</code>	suppress table output related to coefficients
<code>nocmdlegend</code>	suppress command legend that appears in the presence of transformed coefficients when <code>nocoeff</code> is used
<code>notrcoef</code>	suppress table output related to transformed coefficients
<code>nolegend</code>	suppress table legend(s)
<code>nocnsreport</code>	do not display constraints

See [MI] **mi estimate postestimation** for features available after estimation. To replay results, type `mi estimate` without arguments.

Options

Options

`nimputations(#)` specifies that the first `#` imputations be used; `#` must be $M_{\min} \leq \# \leq M$, where $M_{\min} = 3$ if `mcerror` is specified and $M_{\min} = 2$, otherwise. The default is to use all imputations, M . Only one of `nimputations()`, `imputations()`, or `estimations()` may be specified.

`imputations(numlist)` specifies which imputations to use. The default is to use all of them. `numlist` must contain at least two numbers corresponding to the imputations saved in `miestfile.ster`. If `mcerror` is specified, `numlist` must contain at least three numbers. You can use the `show-imputations` option to display imputations currently saved in `miestfile.ster`. Only one of `nimputations()`, `imputations()`, or `estimations()` may be specified.

`estimations(numlist)` does the same thing as `imputations(numlist)`, but this time the imputations are numbered differently. Say that `miestfile.ster` was created by `mi estimate` and `mi estimate` was told to limit itself to imputations 1, 3, 5, and 9. With `imputations()`, the imputations are still numbered 1, 3, 5, and 9. With `estimations()`, they are numbered 1, 2, 3, and 4. Usually, one does not specify a subset of imputations when using `mi estimate`, and so usually, the `imputations()` and `estimations()` options are identical. The specified `numlist` must contain at least two numbers. If `mcerror` is specified, `numlist` must contain at least three numbers. Only one of `nimputations()`, `imputations()`, or `estimations()` may be specified.

`mcerror` specifies to compute Monte Carlo error (MCE) estimates for the results displayed in the estimation, degrees-of-freedom, and variance-information tables. MCE estimates reflect variability of MI results across repeated uses of the same imputation procedure and are useful for determining an adequate number of imputations to obtain stable MI results; see [White, Royston, and Wood \(2011\)](#) for details and guidelines.

MCE estimates are obtained by applying the jackknife procedure to multiple-imputation results. That is, the jackknife pseudovalues of MI results are obtained by omitting one imputation at a time; see [R] [jackknife](#) for details about the jackknife procedure. As such, the Monte Carlo error computation requires at least three imputations.

If `level()` is specified during estimation, MCE estimates are obtained for confidence intervals with the specified confidence level instead of using the default 95% confidence level. If any of the options described in [R] [eform_option](#) is specified during estimation, MCE estimates for the coefficients, standard errors, and confidence intervals in the exponentiated form are also computed.

`merror` can also be used upon replay to display MCE estimates. Otherwise, MCE estimates are not reported upon replay even if they were previously computed.

`ufmitest` specifies that the unrestricted fraction missing information (FMI) model test be used. The default test performed assumes equal fractions of information missing due to nonresponse for all coefficients. This is equivalent to the assumption that the between-imputation and within-imputation variances are proportional. The unrestricted test may be preferable when this assumption is suspect provided the number of imputations is large relative to the number of estimated coefficients.

`nosmall` specifies that no small-sample correction be made to the degrees of freedom. By default, individual tests of coefficients (and transformed coefficients) use the small-sample correction of [Barnard and Rubin \(1999\)](#), and the overall model test uses the small-sample correction of [Reiter \(2007\)](#).

Tables

All table options below may be specified at estimation time or when redisplaying previously estimated results.

`citable` and `nocitable` specify whether the standard estimation table containing parameter-specific confidence intervals is displayed. The default is `citable`. `nocitable` can be used with `varitable` to suppress the confidence interval table.

`dftable` displays a table containing parameter-specific degrees of freedom and percentages of increase in standard errors due to nonresponse. `dftable` implies `nocitable`.

`varitable` displays a table reporting variance information about MI estimates. The table contains estimates of within-imputation variances, between-imputation variances, total variances, relative increases in variance due to nonresponse, fractions of information about parameter estimates missing due to nonresponse, and relative efficiencies for using finite M rather than a hypothetically infinite number of imputations. `varitable` implies `citable`.

`table_options` control the appearance of all displayed table output:

`noheader` suppresses all header information from the output. The table output is still displayed.

`notable` suppresses all tables from the output. The header information is still displayed.

`nocoeff` suppresses the display of tables containing coefficient estimates. This option affects the table output produced by `citable`, `dftable`, and `varitable`.

`nocmdlegend` suppresses the table legend showing the command line, used to produce results in `miestfile.ster`, from the output. This legend appears above the tables containing transformed coefficients (or above the variance-information table if `varitable` is used) when `nocoeff` is specified.

`notrcoef` suppresses the display of tables containing estimates of transformed coefficients (if specified). This option affects the table output produced by `citable`, `dftable`, and `varitable`.

`nolegend` suppresses all table legends from the output.

`nocnsreport`; see [\[R\] Estimation options](#).

`display_options`: `nocl`, `nopvalues`, `noomitted`, `vsquish`, `noemptycells`, `baselevels`, `allbaselevels`, `nofvlabel`, `fvwrap(#)`, `fvwrapon(style)`, `cformat(%fmt)`, `pformat(%fmt)`, and `sformat(%fmt)`; see [\[R\] Estimation options](#).

Reporting

`level(#)`; see [\[R\] Estimation options](#).

`dots` specifies that dots be displayed as estimations of transformed coefficients are successfully completed. An `x` is displayed if `nlcom` fails to estimate one of the transformed coefficients specified in `spec`. This option is relevant only if transformations are specified.

`noisily` specifies that any output from `nlcom`, used to obtain the estimates of transformed coefficients, be displayed. This option is relevant only if transformations are specified.

`trace` traces the execution of `nlcom`. `trace` implies `noisily` and is relevant only if transformations are specified.

`replay` replays estimation results from `miestfile.ster`, previously saved by `mi estimate, saving(mi estfile)`. This option implies `noisily`.

`cmdlegend` requests that the command line corresponding to the estimation command used to produce the estimation results saved in `miestfile.ster` be displayed. `cmdlegend` may be specified at run time or when redisplaying results.

`nogroup` suppresses the display of group summary information (number of groups, average group size, minimum, and maximum) as well as other command-specific information displayed for `xt` commands.

me_options: `stddeviations`, `variance`, `norettable`, `nofetable`, and `estmetric`. These options are relevant only with the mixed-effects command `mixed` (see [ME] `mixed`). See the corresponding mixed-effects commands for more information. The `stddeviations` option is the default with `mi estimate using`. The `estmetric` option is implied when `vartable` or `dftable` is used.

Advanced

`errorok` specifies that estimations of transformed coefficients that fail be skipped and the combined results be based on the successful estimation results. The default is that `mi estimate` stops if an individual estimation fails. If the `miestfile.ster` file contains failed estimation results, `mi estimate using` does not error out; it issues notes about which estimation results failed and discards these estimation results in the computation. You can use the `noerrnotes` option to suppress the display of the notes.

The following options are available with `mi estimate using` but are not shown in the dialog box:

`coeflegend`; see [R] [Estimation options](#). `coeflegend` implies `nocitable` and cannot be combined with `citable` or `dftable`.

`nowarning` suppresses the warning message at the bottom of table output that occurs if the estimation sample varies and `esampvaryok` is specified. See [Potential problems that can arise when using mi estimate](#) in [MI] [mi estimate](#) for details.

`noerrnotes` suppresses notes about failed estimation results. These notes appear when `miestfile.ster` contains estimation results, previously saved by `mi estimate, saving(mi estfile)`, from imputations for which the estimation command used with `mi estimate` failed to estimate parameters.

`showimputations` displays imputation numbers corresponding to the estimation results saved in `miestfile.ster`. `showimputations` may be specified at run time or when redisplaying results.

eform_option; see [R] [eform_option](#). `mi estimate using` reports results in the coefficient metric under which the combination rules are applied. You may use the appropriate *eform_option* to redisplay results in exponentiated form, if desired. If `dftable` is also specified, the reported degrees of freedom and percentage increases in standard errors are not adjusted and correspond to the original coefficient metric.

`post` requests that MI estimates of coefficients and their respective VCEs be posted in the usual way. This allows the use of *estimation_command*-specific postestimation tools with MI estimates. There

are issues; see *Using the command-specific postestimation tools* in [MI] **mi estimate postestimation**. `post` may be specified at estimation time or when redisplaying previously estimated results.

Remarks and examples

[stata.com](https://www.stata.com)

`mi estimate using` is convenient when refitting models using `mi estimate` would be tedious or time consuming. In such cases, you can perform estimation once and save the uncombined, individual results by specifying `mi estimate`'s `saving(miestfile)` option. After that, you can repeatedly use `mi estimate using miestfile` to estimate linear and nonlinear transformations of coefficients or to obtain MI estimates using a subset of saved imputations.

`mi estimate using` performs the pooling step of the MI procedure; see [MI] **Intro substantive**. That is, it combines completed-data estimates from the `miestfile.ster` file by applying Rubin's combination rules (Rubin 1987, 77).

▷ Example 1

Recall the analysis of house resale prices from *Example 2: Completed-data linear regression analysis* in [MI] **mi estimate**:

```
. use https://www.stata-press.com/data/r18/mhouses1993s30
(Albuquerque home prices Feb15-Apr30, 1993)
. mi estimate, saving(miest): regress price tax sqft age nfeatures ne custom
> corner

Multiple-imputation estimates          Imputations          =          30
Linear regression                     Number of obs        =          117
                                      Average RVI          =         0.0648
                                      Largest FMI          =         0.2533
                                      Complete DF         =           109
DF adjustment:  Small sample          DF:  min             =         69.12
                                      avg                  =         94.02
                                      max                  =        105.51
Model F test:      Equal FMI          F( 7, 106.5)        =         67.18
Within VCE type:  OLS                 Prob > F             =         0.0000
```

price	Coefficient	Std. err.	t	P> t	[95% conf. interval]	
tax	.6768015	.1241568	5.45	0.000	.4301777	.9234253
sqft	.2118129	.069177	3.06	0.003	.0745091	.3491168
age	.2471445	1.653669	0.15	0.882	-3.051732	3.546021
nfeatures	9.288033	13.30469	0.70	0.487	-17.12017	35.69623
ne	2.518996	36.99365	0.07	0.946	-70.90416	75.94215
custom	134.2193	43.29755	3.10	0.002	48.35674	220.0818
corner	-68.58686	39.9488	-1.72	0.089	-147.7934	10.61972
_cons	123.9118	71.05816	1.74	0.085	-17.19932	265.0229

In the above, we use the `saving()` option to save the individual completed-data estimates from a regression analysis in Stata estimation file `miest.ster`. We can now use `mi estimate using` to recombine the first 5 imputations, and ignore the remaining 25, without reestimation:

```
. mi estimate using miest, ni(5)
```

```
Multiple-imputation estimates      Imputations      =      5
Linear regression                  Number of obs    =     117
                                   Average RVI      =     0.0685
                                   Largest FMI      =     0.2075
                                   Complete DF     =     109
DF adjustment:  Small sample      DF:      min    =     48.59
                                   avg        =     85.22
                                   max        =    104.79
Model F test:      Equal FMI      F( 7, 103.9)    =     67.50
Within VCE type:  OLS              Prob > F        =     0.0000
```

price	Coefficient	Std. err.	t	P> t	[95% conf. interval]	
tax	.6631356	.122443	5.42	0.000	.4195447	.9067265
sqft	.2185884	.0670182	3.26	0.002	.0856051	.3515718
age	-.0395402	1.613185	-0.02	0.981	-3.28205	3.202969
nfeatures	8.735622	13.42251	0.65	0.517	-18.01198	35.48323
ne	4.069381	36.94491	0.11	0.913	-69.4355	77.57426
custom	130.4925	42.93286	3.04	0.003	45.36257	215.6225
corner	-71.25406	40.06697	-1.78	0.078	-150.7152	8.207084
_cons	130.2002	70.38012	1.85	0.068	-9.624642	270.025

We obtain results identical to those shown in the [example](#) in [\[MI\] mi estimate](#).

We can also obtain estimates of transformed coefficients without refitting the models to the imputed dataset. Recall the example from [Example 5: Estimating transformations in \[MI\] mi estimate](#), where we estimated the ratio of the coefficients for `age` and `sqft`. We can obtain the same results by using the following:

```
. mi estimate (ratio: _b[age]/_b[sqft]) using miest
Multiple-imputation estimates          Imputations      =          30
Linear regression                     Number of obs    =          117
                                       Average RVI      =          0.0648
                                       Largest FMI     =          0.2533
                                       Complete DF    =           109
DF adjustment:  Small sample          DF:      min    =          69.12
                                       avg         =          94.02
                                       max         =          105.51
Model F test:      Equal FMI          F(   7, 106.5)  =          67.18
Within VCE type:  OLS                 Prob > F       =          0.0000
```

price	Coefficient	Std. err.	t	P> t	[95% conf. interval]	
tax	.6768015	.1241568	5.45	0.000	.4301777	.9234253
sqft	.2118129	.069177	3.06	0.003	.0745091	.3491168
age	.2471445	1.653669	0.15	0.882	-3.051732	3.546021
nfeatures	9.288033	13.30469	0.70	0.487	-17.12017	35.69623
ne	2.518996	36.99365	0.07	0.946	-70.90416	75.94215
custom	134.2193	43.29755	3.10	0.002	48.35674	220.0818
corner	-68.58686	39.9488	-1.72	0.089	-147.7934	10.61972
_cons	123.9118	71.05816	1.74	0.085	-17.19932	265.0229

```
Transformations          Average RVI      =          0.2899
                          Largest FMI     =          0.2316
                          Complete DF    =           109
DF adjustment:  Small sample          DF:      min    =          72.51
                                       avg         =          72.51
                                       max         =          72.51
Within VCE type:      OLS
ratio:  _b[age]/_b[sqft]
```

price	Coefficient	Std. err.	t	P> t	[95% conf. interval]	
ratio	1.44401	8.217266	0.18	0.861	-14.93485	17.82287

The results are the same as in the [example](#) in [\[MI\] mi estimate](#).



For more examples, see [\[MI\] mi test](#).

Stored results

See *Stored results* in [\[MI\] mi estimate](#).

Methods and formulas

See *Methods and formulas* in [\[MI\] mi estimate](#).

References

- Barnard, J., and D. B. Rubin. 1999. Small-sample degrees of freedom with multiple imputation. *Biometrika* 86: 948–955. <https://doi.org/10.1093/biomet/86.4.948>.
- Reiter, J. P. 2007. Small-sample degrees of freedom for multi-component significance tests with multiple imputation for missing data. *Biometrika* 94: 502–508. <https://doi.org/10.1093/biomet/asm028>.
- Rubin, D. B. 1987. *Multiple Imputation for Nonresponse in Surveys*. New York: Wiley.
- White, I. R., P. Royston, and A. M. Wood. 2011. Multiple imputation using chained equations: Issues and guidance for practice. *Statistics in Medicine* 30: 377–399. <https://doi.org/10.1002/sim.4067>.

Also see

- [MI] [mi estimate](#) — Estimation using multiple imputations
- [MI] [mi estimate postestimation](#) — Postestimation tools for mi estimate
- [MI] [Intro](#) — Introduction to mi
- [MI] [Intro substantive](#) — Introduction to multiple-imputation analysis
- [MI] [Glossary](#)

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).