

**matrix symeigen** — Eigenvalues and eigenvectors of symmetric matrices
[Description](#)[Methods and formulas](#)[Menu](#)[References](#)[Syntax](#)[Also see](#)[Remarks and examples](#)

## Description

`matrix symeigen` returns the eigenvectors in the columns of  $\mathbf{X}$ :  $n \times n$  and the corresponding eigenvalues in  $\mathbf{v}$ :  $1 \times n$ . The eigenvalues are sorted:  $\mathbf{v}[1,1]$  contains the largest eigenvalue (and  $\mathbf{X}[1\dots,1]$  its corresponding eigenvector), and  $\mathbf{v}[1,n]$  contains the smallest eigenvalue (and  $\mathbf{X}[1\dots,n]$  its corresponding eigenvector).

If you want the eigenvalues for a nonsymmetric matrix, see [P] [matrix eigenvalues](#).

Also see [M-5] [eigensystem\(\)](#) for other routines for obtaining eigenvalues and eigenvectors.

## Menu

Data > Matrices, ado language > Eigenvalues and eigenvectors of symmetric matrices

## Syntax

```
matrix symeigen X v = A
```

where  $\mathbf{A}$  is an  $n \times n$  symmetric matrix.

## Remarks and examples

stata.com

Typing `matrix symeigen X v = A` for  $\mathbf{A}$ :  $n \times n$  returns

$$\mathbf{v} = (\lambda_1, \lambda_2, \dots, \lambda_n)$$

$$\mathbf{X} = (\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_n)$$

where  $\lambda_1 \geq \lambda_2 \geq \dots \geq \lambda_n$ . Each  $\mathbf{x}_i$  and  $\lambda_i$  is a solution to

$$\mathbf{A}\mathbf{x}_i = \lambda_i\mathbf{x}_i$$

or, more compactly,

$$\mathbf{A}\mathbf{X} = \mathbf{X}\text{diag}(\mathbf{v})$$

### ► Example 1

Eigenvalues and eigenvectors have many uses. We will demonstrate that `symeigen` returns matrices meeting the definition:

```
. use https://www.stata-press.com/data/r18/auto
(1978 automobile data)
. matrix accum A = weight mpg length, noconstant deviation
(obs=74)
```

```

. matrix list A
symmetric A[3,3]
      weight      mpg      length
weight  44094178
      mpg -264948.11  2443.4595
length  1195077.3   -7483.5135  36192.662
. matrix symeigen X lambda = A
. matrix list lambda
lambda[1,3]
      e1      e2      e3
r1  44128163  3830.4869  820.73955
. matrix list X
X[3,3]
      e1      e2      e3
weight  .99961482  -.02756261  .00324179
      mpg -.00600667  -.1008305   .99488549
length  .02709477  .99452175  .10095722
. matrix AX = A*X
. matrix XLambda = X*diag(lambda)
. matrix list AX
AX[3,3]
      e1      e2      e3
weight  44111166  -105.57823  2.6606641
      mpg -265063.5  -386.22991  816.54187
length  1195642.6  3809.5025  82.859585
. matrix list XLambda
XLambda[3,3]
      e1      e2      e3
weight  44111166  -105.57823  2.6606641
      mpg -265063.5  -386.22991  816.54187
length  1195642.6  3809.5025  82.859585

```

4

## Methods and formulas

Stata's internal eigenvalue and eigenvector extraction routines are translations of the public domain EISPACK routines, [Smith et al. \(1976\)](#), which are in turn based on [Wilkinson and Reinsch \(1971\)](#). EISPACK was developed under contract for the Office of Scientific and Technical Information, U.S. Department of Energy, by Argonne National Laboratory and supported by funds provided by the Nuclear Regulatory Commission. Stata's use of these routines is by permission of the National Energy Software Center of the Argonne National Laboratory. A brief but excellent introduction to the techniques used by these routines can be found in [Press et al. \(2007, 563–599\)](#).

## References

- Press, W. H., S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery. 2007. *Numerical Recipes: The Art of Scientific Computing*. 3rd ed. New York: Cambridge University Press.
- Smith, B. T., J. M. Boyle, J. J. Dongarra, B. S. Garbow, Y. Ikebe, V. C. Klema, and C. B. Moler. 1976. *Matrix Eigensystem Routines—EISPACK Guide*. 2nd ed. Berlin: Springer.
- Wilkinson, J. H., and C. H. Reinsch. 1971. *Handbook for Automatic Computation, Vol. 2: Linear Algebra*. New York: Springer.

## Also see

- [P] [matrix](#) — Introduction to matrix commands
- [P] [matrix eigenvalues](#) — Eigenvalues of nonsymmetric matrices
- [M-4] [Matrix](#) — Matrix functions
- [U] [14 Matrix expressions](#)

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).