

Subject and author index

This is the subject and author index for the *User's Guide*. You may also want to consult the combined subject index (and the combined author index) in the *Quick Reference and Index*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

! (not), see logical operators
 != (not equal), see relational operators
 \& (and), see logical operators
 * abbreviation character, see abbreviations
 - abbreviation character, see abbreviations
 < (less than), see relational operators
 <= (less than or equal), see relational operators
 == (equality), see relational operators
 > (greater than), see relational operators
 >= (greater than or equal), see relational operators
 ~ (not), see logical operators
 \char'176 abbreviation character, see abbreviations
 ~= (not equal), see relational operators
 \orbar (or), see logical operators

A

.a, .b, "dots", .z, see missing values
 abbreviations, [U] **11.2 Abbreviation rules**;
 [U] **11.1.1 varlist**, [U] **11.4 varlists**
 aborting command execution, [U] **9 The Break key**,
 [U] **10 Keyboard use**
 Access, Microsoft, reading data from, [U] **21.4 Transfer programs**
 addition operator, see arithmetic operators
 .ado filename suffix, [U] **11.6 Filenaming conventions**
 ado-files, [U] **3.5 The Stata Journal**, [U] **17 Ado-files**,
 [U] **18.11 Ado-files**
 downloading, see files, downloading
 long lines, [U] **18.11.2 Comments and long lines in ado-files**
 official, [U] **28 Using the Internet to keep up to date**
 adosize, [U] **18.11 Ado-files**
 Afifi, A. A., [U] **20.24 References**
 algebraic expressions, functions, and operators,
 [U] **13 Functions and expressions**
 _all, [U] **11.1.1 varlist**
 alphanumeric variables, see string variables
 analytic weights, [U] **11.1.6 weight**,
 [U] **20.22.2 Analytic weights**
 and operator, [U] **13.2.4 Logical operators**
 Angrist, J. D., [U] **20.24 References**
 append command, [U] **22 Combining datasets**
 appending data, [U] **22 Combining datasets**
 arithmetic operators, [U] **13.2.1 Arithmetic operators**

Author Support Program, [U] **3.8.2 For authors**
 auto.dta, [U] **1.2.2 Example datasets**
 autocode() function, [U] **25.1.2 Converting continuous variables to categorical variables**
 [aweight=exp] modifier, [U] **11.1.6 weight**,
 [U] **20.22.2 Analytic weights**
 Azen, S. P., [U] **20.24 References**

B

_b [], [U] **13.5 Accessing coefficients and standard errors**
 base level, [U] **11.4.3 Factor variables**
 Baum, C. F., [U] **11.7 References**, [U] **16.5 References**,
 [U] **18.13 References**, [U] **20.24 References**
 Belsley, D. A., [U] **18.13 References**
 Binder, D. A., [U] **20.24 References**
 biyearly() function, [U] **25 Working with categorical data and factor variables**
 blog, see Stata Blog
 Break key, [U] **9 The Break key**, [U] **16.1.4 Error handling in do-files**
 built-in variables, [U] **11.3 Naming conventions**,
 [U] **13.4 System variables (_variables)**
 Buja, A., [U] **20.24 References**
 business calendars, [U] **24.7 Business dates and calendars**
 by-groups, [U] **11.5 by varlist: construct**
 by varlist: prefix, [U] **11.5 by varlist: construct**,
 [U] **13.7 Explicit subscripting**, [U] **27.2 The by construct**
 byte (storage type), [U] **12.2.2 Numeric storage types**

C

categorical variables, [U] **25.1.2 Converting continuous variables to categorical variables**
 Chambers, J. M., [U] **1.4 References**
 char command, [U] **12.8 Characteristics**
 character data, see string variables
 characteristics, [U] **12.8 Characteristics**,
 [U] **18.3.6 Extended macro functions**,
 [U] **18.3.13 Referring to characteristics**
 clear option, [U] **11.2 Abbreviation rules**
 Cleveland, W. S., [U] **1.4 References**
 cluster analysis, [U] **26.23 Multivariate and cluster analysis**
 cmdlog command, [U] **15 Saving and printing output—log files**
 _coef [], [U] **13.5 Accessing coefficients and standard errors**
 coefficients (from estimation),
 accessing, [U] **13.5 Accessing coefficients and standard errors**
 estimated linear combinations, see linear combinations of estimators
 columns of matrix, names, [U] **14.2 Row and column names**
 combining datasets, [U] **22 Combining datasets**

command

- arguments, [U] **18.4 Program arguments**
- parsing, [U] **18.4 Program arguments**
- timings, [U] **8 Error messages and return codes**

commands,

- abbreviating, [U] **11.2 Abbreviation rules**
- aborting, [U] **9 The Break key**, [U] **10 Keyboard use**
- editing and repeating, [U] **10 Keyboard use**
- immediate, [U] **19 Immediate commands**

comments in programs, do-files, etc.,

- [U] **16.1.2 Comments and blank lines in do-files**, [U] **18.11.2 Comments and long lines in ado-files**

concatenating strings, [U] **13.2.2 String operators**

confidence intervals, [U] **20.7 Specifying the width of confidence intervals**

contrast command, [U] **20.18 Obtaining contrasts, tests of interactions, and main effects**

contrasts, [U] **20.18 Obtaining contrasts, tests of interactions, and main effects**

- graphing, [U] **20.19 Graphing margins, marginal effects, and contrasts**

Cook, I., [U] **1.4 References**

count data, estimation, [U] **26.10 Count dependent-variable models**

courses about Stata, [U] **3.7.2 NetCourses**

Cox, N. J., [U] **11.7 References**, [U] **12.10 References**, [U] **13.12 References**, [U] **17.10 Reference**, [U] **23.5 Reference**, [U] **24.8 References**

D

data, [U] **12 Data**

- appending, see *appending data*
- characteristics of, see *characteristics*
- combining, see *combining datasets*
- exporting, see *exporting data*
- importing, see *importing data*
- inputting, see *reading data from disk*
- labeling, see *labeling data*
- large, dealing with, see *memory*
- missing values, see *missing values*
- reading, see *reading data from disk*
- strings, see *string variables*
- survey, see *survey data*

data entry, see *reading data from disk*

database, reading data from other software,

- [U] **21.4 Transfer programs**

datasets, example, [U] **1.2.2 Example datasets**

date,

- displaying, [U] **24.3 Displaying dates and times**; [U] **12.5.3 Date and time formats**
- formats, [U] **24.3 Displaying dates and times**; [U] **12.5.3 Date and time formats**
- functions, [U] **24.5 Extracting components of dates and times**

date, *continued*

- inputting, [U] **24.2 Inputting dates and times**
- variables, [U] **24 Working with dates and times**

datelist, [U] **11.1.9 datelist**

day() function, [U] **24.5 Extracting components of dates and times**

dBASE, reading data from, [U] **21.4 Transfer programs**

.dct filename suffix, [U] **11.6 Filenaming conventions**

Deaton, A., [U] **20.24 References**

describe command, [U] **12.6 Dataset, variable, and value labels**

difference of estimated coefficients, see *linear combinations of estimators*

difference operator, [U] **11.4.4 Time-series varlists**

digits, controlling the number displayed,

- [U] **12.5 Formats: Controlling how data are displayed**

directories, [U] **11.6 Filenaming conventions**, [U] **18.3.11 Constructing Windows filenames by using macros**

discard command, [U] **18.11.3 Debugging ado-files**

display command, [U] **19.1.2 A list of the immediate commands**

display formats, [U] **12.5 Formats: Controlling how data are displayed**, [U] **24.3 Displaying dates and times**

division operator, see *arithmetic operators*

do command, [U] **16 Do-files**

.do filename suffix, [U] **11.6 Filenaming conventions**

documentation, [U] **1 Read this—it will help**

- keyword search on, [U] **4 Stata's help and search facilities**

do-files, [U] **16 Do-files**, [U] **18.2 Relationship between a program and a do-file**

- long lines, [U] **18.11.2 Comments and long lines in ado-files**

double (storage type), [U] **12.2.2 Numeric storage types**

double-precision floating point number,

- [U] **12.2.2 Numeric storage types**

dow() date function, [U] **24.5 Extracting components of dates and times**

.dta file extension, [U] **11.6 Filenaming conventions**

.dtasig filename suffix, [U] **11.6 Filenaming conventions**

dummy variables, see *indicator variables*

E

e() scalars, macros, matrices, functions,

- [U] **18.8 Accessing results calculated by other programs**, [U] **18.9 Accessing results calculated by estimation commands**, [U] **18.10.2 Saving results in e()**

e-class command, [U] **18.8 Accessing results calculated by other programs**

EBCDIC, [U] **21.2.9 If you have EBCDIC data**

editing
 commands, [U] **10 Keyboard use**
 output, [U] **15 Saving and printing output—log files**

encode command, [U] **23.2 Categorical string variables**

entering data, see reading data from disk

equality operator, [U] **13.2.3 Relational operators**

equation names of matrix, [U] **14.2 Row and column names**

error
 handling, [U] **16.1.4 Error handling in do-files**
 messages and return codes, [U] **4.9.5 Return codes**, [U] **8 Error messages and return codes**, also see error handling

estimate linear combinations of coefficients, see linear combinations of estimators

estimation commands, [U] **18.9 Accessing results calculated by estimation commands**, [U] **26 Overview of Stata estimation commands**

estimators,
 covariance matrix of, [U] **20.9 Obtaining the variance-covariance matrix**
 linear combinations, [U] **20.13 Obtaining linear combinations of coefficients**

Everitt, B. S., [U] **1.4 References**

exact statistics, [U] **26.11 Exact estimators**

example datasets, [U] **1.2.2 Example datasets**

Excel, [U] **21 Inputting and importing data**

exit command, [U] **16.1.4 Error handling in do-files**

`=exp`, [U] **11 Language syntax**

exponential notation, [U] **12.2 Numbers**

exporting data, [U] **21.4 Transfer programs**

expressions, [U] **13 Functions and expressions**

F

Facebook, see Stata on Facebook

factor variables, [U] **11.4.3 Factor variables**, [U] **13.8 Indicator values for levels of factor variables**, [U] **14.2.2 Two-part names**, [U] **20.11 Accessing estimated coefficients**, [U] **25 Working with categorical data and factor variables**

factorial, [U] **11.4.3 Factor variables**

failure-time model, see survival-time model

FAQs, [U] **3.2.1 The Stata website (www.stata.com)**
 search, [U] **4.9.4 FAQ searches**

files,
 downloading, [U] **28 Using the Internet to keep up to date**
 exporting, see exporting data
 extensions, [U] **11.6 Filenaming conventions**
 importing, see importing data
 names, [U] **11.6 Filenaming conventions**, [U] **18.3.11 Constructing Windows filenames by using macros**

F-keys, [U] **10 Keyboard use**

`float`, [U] **13.11 Precision and problems therein**

`float` (storage type), [U] **12.2.2 Numeric storage types**

`float()` function, [U] **13.11 Precision and problems therein**

`%fmts`, [U] **12.5 Formats: Controlling how data are displayed**

formats, [U] **12.5 Formats: Controlling how data are displayed**, [U] **20.8 Formatting the coefficient table**; [U] **24.3 Displaying dates and times**

formatted data, reading, [U] **21 Inputting and importing data**

Foulkes, M. A., [U] **1.4 References**

FoxPro, reading data from, [U] **21.4 Transfer programs**

Frankel, M. R., [U] **20.24 References**

Freedman, L. S., [U] **1.4 References**

Freese, J., [U] **20.24 References**

frequency weights, [U] **11.1.6 weight**, [U] **20.22.1 Frequency weights**
`[frequency=exp]` modifier, [U] **11.1.6 weight**, [U] **20.22.1 Frequency weights**

frontier models, see stochastic frontier models

full factorial, [U] **11.4.3 Factor variables**

Fuller, W. A., [U] **20.24 References**

functions, [U] **13.3 Functions**
 date, [U] **24.5 Extracting components of dates and times**
 matrix, [U] **14.8 Matrix functions**
`[fweight=exp]` modifier, [U] **11.1.6 weight**, [U] **20.22.1 Frequency weights**

G

Gail, M. H., [U] **1.4 References**, [U] **20.24 References**

Gauss, reading data from, [U] **21.4 Transfer programs**

generalized linear models, [U] **26.5 Generalized linear models**, [U] **26.17.3 Generalized linear models with panel data**

generalized method of moments, [U] **26.19 Generalized method of moments (GMM)**

getting started, [U] **1 Read this—it will help**
Getting Started with Stata manuals, [U] **1.1 Getting Started with Stata**
 keyword search of, [U] **4 Stata's help and search facilities**

GLM, see generalized linear models

`global` command, [U] **18.3.2 Global macros**, [U] **18.3.10 Advanced global macro manipulation**

GMM, see generalized method of moments

Golbe, D. L., [U] **22.1 References**

Gould, W. W., [U] **13.12 References**, [U] **18.13 References**, [U] **22.1 References**, [U] **26.27 Reference**

`.gph` files, [U] **11.6 Filenaming conventions**

graphs,
 contrasts, see subentry margins
 margins, [U] **20.19 Graphing margins, marginal effects, and contrasts**

greater than (or equal) operator, [U] **13.2.3 Relational operators**
 .grec files, [U] **11.6 Filenaming conventions**
 groupvar, [U] **11.4 varlists**
 GUI, examples of, [U] **2 A brief description of Stata**

H

Hampel, F. R., [U] **20.24 References**
 Harvey, A. C., [U] **1.4 References**
 help command, [U] **4 Stata's help and search facilities**, [U] **7 –more– conditions**
 writing your own, [U] **18.11.6 Writing online help**
 help—I don't know what to do, [U] **3 Resources for learning and using Stata**
 Herrin, J., [U] **18.13 References**
 heteroskedastic errors, see linear regression with heteroskedastic errors
 Heyde, C. C., [U] **1.4 References**
 hsearch command, [U] **4 Stata's help and search facilities**
 http://www.stata.com, [U] **3.2.1 The Stata website (www.stata.com)**
 Huber, P. J., [U] **20.24 References**
 hypertext help, [U] **4 Stata's help and search facilities**, [U] **18.11.6 Writing online help**

I

if *exp*, [U] **11 Language syntax**
 immediate commands, [U] **19 Immediate commands**, [U] **18.4.5 Parsing immediate commands**
 importance weights, [U] **11.1.6 weight**, [U] **20.22.4 Importance weights**
 importing data, [U] **21.4 Transfer programs**
 in *range* modifier, [U] **11 Language syntax**
 index search, [U] **4 Stata's help and search facilities**
 indicators, [U] **11.4.3 Factor variables**
 Informix, reading data from, [U] **21.4 Transfer programs**
 inputting data from a file, see reading data from disk installation
 of official updates, [U] **28 Using the Internet to keep up to date**
 of SJ and STB, [U] **3.6 Updating and adding features from the web**
 int (storage type), [U] **12.2.2 Numeric storage types**
 interactions, [U] **11.4.3 Factor variables**, [U] **13.5.3 Factor variables and time-series operators**, [U] **20.18 Obtaining contrasts, tests of interactions, and main effects**, [U] **25.2 Estimation with factor variables**
 Internet, [U] **3.2.1 The Stata website (www.stata.com)**
 installation of updates from, [U] **28 Using the Internet to keep up to date**
 interrupting command execution, [U] **10 Keyboard use**
 .irf files, [U] **11.6 Filenaming conventions**
 [iweight=*exp*] modifier, [U] **11.1.6 weight**, [U] **20.22.4 Importance weights**

J

Johnson, N. L., [U] **1.4 References**
 joinby command, [U] **22 Combining datasets**
 joining datasets, see combining datasets

K

Kent, J. T., [U] **20.24 References**
 keyboard
 entry, [U] **10 Keyboard use**
 search, [U] **4 Stata's help and search facilities**
 Kish, L., [U] **20.24 References**
 Kleiner, B., [U] **1.4 References**
 Kolev, G. I., [U] **11.7 References**
 Kotz, S., [U] **1.4 References**
 Kuh, E., [U] **18.13 References**
 Künsch, H. R., [U] **20.24 References**

L

label command, [U] **12.6 Dataset, variable, and value labels**
 label values, [U] **12.6 Dataset, variable, and value labels**; [U] **13.10 Label values**
 labeling data, [U] **12.6 Dataset, variable, and value labels**
 labeling data in other languages, [U] **12.6.4 Labels in other languages**
 Lachin, J. M., [U] **1.4 References**
 lag operator, [U] **11.4.4 Time-series varlists**
 lagged values, [U] **11.4.4 Time-series varlists**, [U] **13 Functions and expressions**, [U] **13.9.1 Generating lags, leads, and differences**; [U] **13.7 Explicit subscripting**
 language syntax, [U] **11 Language syntax**
 lead
 operator, [U] **11.4.4 Time-series varlists**
 values, see lagged values
 least-squares means, [U] **20.15.1 Obtaining estimated marginal means**
 less than (or equal) operator, [U] **13.2.3 Relational operators**
 levels, [U] **11.4.3 Factor variables**
 likelihood-ratio tests, [U] **20.12.3 Likelihood-ratio tests**
 limits, [U] **6 Managing memory**
 Lin, D. Y., [U] **20.24 References**
 linear combinations of estimators, [U] **20.13 Obtaining linear combinations of coefficients**
 linear regression, *also see* generalized linear models, *also see* panel data, *also see* random-coefficients model
 conditional, [U] **26.8 Conditional logistic regression with heteroskedastic errors**, [U] **26.12 Linear regression with heteroskedastic errors**
 with simple error structures, [U] **26.2 Linear regression with simple error structures**
 lines, long, in do-files and ado-files, [U] **18.11.2 Comments and long lines in ado-files**

Linhart, J. M., [U] **13.12 References**
 listsrver, [U] **3.4 The Stata listsrver**
 loading data, see reading data from disk
 local command, [U] **18.3.1 Local macros**,
 [U] **18.3.9 Advanced local macro manipulation**
 log command, [U] **15 Saving and printing output—
 log files**, [U] **16.1.2 Comments and blank lines
 in do-files**
 .log filename suffix, [U] **11.6 Filenaming conventions**
 log files, see log command
 logical operators, [U] **13.2.4 Logical operators**
 long (storage type), [U] **12.2.2 Numeric storage types**
 Long, J. S., [U] **12.10 References**, [U] **16.5 References**,
 [U] **20.24 References**
 long lines in ado-files and
 do-files, [U] **18.11.2 Comments and long lines
 in ado-files**
 longitudinal data, see panel data
 Lotus 1-2-3, reading data from, see spreadsheets

M

Mac,
 keyboard use, [U] **10 Keyboard use**
 specifying filenames, [U] **11.6 Filenaming
 conventions**
 MacKinnon, J. G., [U] **20.24 References**
 macros, [U] **18.3 Macros**
 marginal
 effects, [U] **20.15 Obtaining marginal means,
 adjusted predictions, and predictive margins**,
 [U] **20.19 Graphing margins, marginal effects,
 and contrasts**
 means, [U] **20.15 Obtaining marginal means,
 adjusted predictions, and predictive margins**
 margins command, [U] **20.15 Obtaining marginal
 means, adjusted predictions, and predictive
 margins**
 marginsplot command, [U] **20.19 Graphing margins,
 marginal effects, and contrasts**
 .mata filename suffix, [U] **11.6 Filenaming
 conventions**
 mathematical functions and expressions,
 [U] **13.3 Functions**
 Matlab, reading data from, [U] **21.4 Transfer programs**
 matrices, [U] **14 Matrix expressions**
 input, [U] **14.4 Inputting matrices by hand**
 operators such as addition, [U] **14.7 Matrix
 operators**
 row and column names, [U] **14.2 Row and column
 names**
 subscripting, [U] **14.9 Subscripting**
 matsize command, [U] **14 Matrix expressions**
 maximum
 number of variables and observations,
 [U] **6 Managing memory**
 size of dataset, [U] **6 Managing memory**
 memory, [U] **6 Managing memory**
 memory command, [U] **6 Managing memory**

merge command, [U] **22 Combining datasets**
 merging data, see combining datasets
 messages and return codes, see error messages and
 return codes
 Microsoft
 Access, reading data from, [U] **21.4 Transfer
 programs**
 Windows, see Windows
 missing values, [U] **12.2.1 Missing values**,
 [U] **13 Functions and expressions**
 Mitchell, M. N., [U] **11.7 References**,
 [U] **13.12 References**, [U] **22.1 References**
 .mlib filename suffix, [U] **11.6 Filenaming
 conventions**
 .mmat filename suffix, [U] **11.6 Filenaming
 conventions**
 .mo filename suffix, [U] **11.6 Filenaming conventions**
 month() function, [U] **24.5 Extracting components of
 dates and times**
 more command and parameter, [U] **7 –more–
 conditions**
 more condition, [U] **7 –more– conditions**,
 [U] **16.1.6 Preventing –more– conditions**
 multiple imputation, [U] **26.22 Multiple imputation**
 multiplication operator, see arithmetic operators
 multivariate analysis, [U] **26.23 Multivariate and
 cluster analysis**

N

_n and _N built-in variables, [U] **13.4 System variables
 (_variables)**, [U] **13.7 Explicit subscripting**
 names, [U] **11.3 Naming conventions**
 negation operator, see arithmetic operators
 NetCourseNow, [U] **3.7.2 NetCourses**
 NetCourses, [U] **3.7.2 NetCourses**
 newsletter, [U] **3 Resources for learning and using
 Stata**
 Not Elsewhere Classified, see Stata Blog
 not equal operator, [U] **13.2.3 Relational operators**
 not operator, [U] **13.2.4 Logical operators**
 number to string conversion, see string functions,
 expressions, and operators
 numbers, [U] **12.2 Numbers**
 numeric list, [U] **11.1.8 numlist**
 numerical precision, [U] **13.11 Precision and problems
 therein**
 numlist command, [U] **11.1.8 numlist**

O

observations,
 built-in counter variable, [U] **11.3 Naming
 conventions**
 maximum number of, [U] **6 Managing memory**
 ODBC data source, reading data from,
 [U] **21.4 Transfer programs**, [U] **21.5 ODBC
 sources**

online help, [U] **4 Stata's help and search facilities;**
 [U] **7 –more– conditions**

operator,
 difference, [U] **11.4.4 Time-series varlists**
 lag, [U] **11.4.4 Time-series varlists**
 lead, [U] **11.4.4 Time-series varlists**
 seasonal lag, [U] **11.4.4 Time-series varlists**

operators, [U] **13.2 Operators**
 order of evaluation, [U] **13.2.5 Order of evaluation, all operators**

options, [U] **11 Language syntax**

or operator, [U] **13.2.4 Logical operators**

ORACLE, reading data from, [U] **21.4 Transfer programs**

.out filename suffix, [U] **11.6 Filenaming conventions**

out-of-sample predictions, [U] **20.10.3 Making out-of-sample predictions**

output, printing, [U] **15 Saving and printing output—log files**

P

pairwise comparisons, [U] **20.17 Obtaining pairwise comparisons**

panel data, [U] **26.17 Panel-data models**

Paradox, reading data from, [U] **21.4 Transfer programs**

parsing, [U] **18.4 Program arguments**

partitioning memory, [U] **6 Managing memory**

paths, [U] **11.6 Filenaming conventions**

pharmacokinetic data, [U] **26.24 Pharmacokinetic data**

`—pi` built-in variable, [U] **11.3 Naming conventions**

pi, value of, [U] **11.3 Naming conventions,**
 [U] **13.4 System variables (_variables)**

Piantadosi, S., [U] **20.24 References**

Pischke, J.-S., [U] **20.24 References**

platforms for which Stata is available,
 [U] **5.1 Platforms**

power, raise to, function, see arithmetic operators

precision, [U] **13.11 Precision and problems therein**

`predict` command, [U] **20.10 Obtaining predicted values**

predictive margins, [U] **20.15 Obtaining marginal means, adjusted predictions, and predictive margins**

prefix command, [U] **11.1.10 Prefix commands**

printing, logs (output), [U] **15 Saving and printing output—log files**

probability weights, [U] **11.1.6 weight,**
 [U] **20.22.3 Sampling weights,** *also see* survey data

`pwcompare` command, [U] **20.17 Obtaining pairwise comparisons**

`[pweight=exp]` modifier, [U] **11.1.6 weight,**
 [U] **20.22.3 Sampling weights**

Q

qualitative dependent variables, [U] **26.6 Binary-outcome qualitative dependent-variable models,** [U] **26.9 Multiple-outcome qualitative dependent-variable models,** [U] **26.17.4 Qualitative dependent-variable models with panel data**

Quattro Pro, reading data from, [U] **21.4 Transfer programs**

quitting Stata, see `exit` command

quotes
 to delimit strings, [U] **18.3.5 Double quotes**
 to expand macros, [U] **18.3.1 Local macros**

R

`r()` saved results, [U] **18.8 Accessing results calculated by other programs,**
 [U] **18.10.1 Saving results in r()**

`r-class` command, [U] **18.8 Accessing results calculated by other programs**

raise to a power function, [U] **13.2.1 Arithmetic operators**

random sample, [U] **21.3 If you run out of memory**

random-coefficients model, [U] **26.17.6 Random-coefficients model with panel data**

raw data, [U] **12 Data**
 .raw filename suffix, [U] **11.6 Filenaming conventions**

`—rc` built-in variable, [U] **13.4 System variables (_variables)**

`rc` (return codes), see error messages and return codes

reading data from disk, [U] **21 Inputting and importing data,** [U] **21.4 Transfer programs**

receiver operating characteristic (ROC) analysis, see ROC analysis

`recode()` function, [U] **25.1.2 Converting continuous variables to categorical variables**

record I/O versus stream I/O, [U] **21 Inputting and importing data**

recording sessions, [U] **15 Saving and printing output—log files**

regression (in generic sense), *also see* estimation commands
 accessing coefficients and standard errors,
 [U] **13.5 Accessing coefficients and standard errors**

relational operator, [U] **13.2.3 Relational operators**

repeating and editing commands, [U] **10 Keyboard use**

`replace` option, [U] **11.2 Abbreviation rules**

reserved names, [U] **11.3 Naming conventions**

return codes, see error messages and return codes

`#review` command, [U] **10 Keyboard use,**
 [U] **15 Saving and printing output—log files**

Rising, B., [U] **12.10 References**

`rmsg`, [U] **8 Error messages and return codes**

ROC analysis, [U] **26.7 ROC analysis**

Rogers, W. H., [U] **20.24 References**

roundoff error, [U] **13.11 Precision and problems therein**

Royall, R. M., [U] **20.24 References**
 Rubinstein, L. V., [U] **1.4 References**
 run command, [U] **16 Do-files**
 Ryan, P., [U] **11.7 References**

S

- s() saved results, [U] **18.8 Accessing results calculated by other programs**, [U] **18.10.3 Saving results in s()**
- s-class command, [U] **18.8 Accessing results calculated by other programs**
- sample, random, see random sample
- sampling weights, [U] **11.1.6 weight**, [U] **20.22.3 Sampling weights**
- Santner, T. J., [U] **1.4 References**
- SAS, reading data from, [U] **21.4 Transfer programs**
- saved results, [U] **18.8 Accessing results calculated by other programs**, [U] **18.9 Accessing results calculated by estimation commands**, [U] **18.10 Saving results**
- Schoenfeld, D. A., [U] **1.4 References**
- scientific notation, [U] **12.2 Numbers**
- scores, obtaining, [U] **20.21 Obtaining scores**
- se [], [U] **13.5 Accessing coefficients and standard errors**
- search command, [U] **4 Stata's help and search facilities**
- seasonal lag operator, [U] **11.4.4 Time-series varlists**
- SEM, see structural equation modeling
- Seneta, E., [U] **1.4 References**
- sensitivity, see ROC analysis
- session, recording, [U] **15 Saving and printing output—log files**
- significance levels, [U] **20.7 Specifying the width of confidence intervals**
- single-precision floating point number, [U] **12.2.2 Numeric storage types**
- Skrondal, A., [U] **1.4 References**
- Small Stata, [U] **5 Flavors of Stata**
- .smcl filename suffix, [U] **11.6 Filenaming conventions**
- sort order for strings, [U] **13.2.3 Relational operators**
- specificity, see ROC analysis
- S-Plus, reading data from, [U] **21.4 Transfer programs**
- spreadsheets, transferring
 from Stata, [U] **21.4 Transfer programs**
 into Stata, [U] **21 Inputting and importing data**, [U] **21.4 Transfer programs**
- SPSS, reading data from, [U] **21.4 Transfer programs**
- standard errors, accessing, [U] **13.5 Accessing coefficients and standard errors**
- Stat/Transfer, [U] **21.4 Transfer programs**
- Stata
 Blog, [U] **3.2.2 The Stata Blog—Not Elsewhere Classified**
 Conference, [U] **3.7.1 Conferences and users group meetings**
- Stata, *continued*
 description, [U] **2 A brief description of Stata**
 documentation, [U] **1 Read this—it will help**
 example datasets, [U] **1.2.2 Example datasets**
 exiting, see `exit` command
 for Mac, see Mac
 for Unix, see Unix
 for Windows, see Windows
 limits, [U] **5 Flavors of Stata**
 listserver, [U] **3.4 The Stata listserver**
 NetCourseNow, [U] **3.7.2 NetCourses**
 NetCourses, [U] **3.7.2 NetCourses**
 on Facebook, [U] **3.2.3 Stata on Twitter and Facebook**
 on Twitter, [U] **3.2.3 Stata on Twitter and Facebook**
 platforms, [U] **5.1 Platforms**
 Press, [U] **3.3 Stata Press**
 Small, see Small Stata
 Stata/IC, see Stata/IC
 Stata/MP, see Stata/MP
 Stata/SE, see Stata/SE
 supplementary material, [U] **3 Resources for learning and using Stata**
 support, [U] **3 Resources for learning and using Stata**
 training, [U] **3.7 Conferences and training**
 updates, see updates to Stata
 users group meeting, [U] **3.7.1 Conferences and users group meetings**
 website, [U] **3.2.1 The Stata website (www.stata.com)**
- Stata Journal* and *Stata Technical Bulletin*, [U] **3.5 The Stata Journal**
 keyword search of, [U] **4 Stata's help and search facilities**
- Stata News*, [U] **3 Resources for learning and using Stata**
- Stata Technical Bulletin Reprints*, [U] **3.5 The Stata Journal**
- Stata/IC, [U] **5 Flavors of Stata**
- Stata/MP, [U] **5 Flavors of Stata**
- Stata/SE, [U] **5 Flavors of Stata**
- Statalist, [U] **3.4 The Stata listserver**
- STB, see *Stata Journal* and *Stata Technical Bulletin*
- .stbcal filename suffix, [U] **11.6 Filenaming conventions**
- .ster filename suffix, [U] **11.6 Filenaming conventions**
- .sthlp filename suffix, [U] **11.6 Filenaming conventions**
- .sthlp files, [U] **4 Stata's help and search facilities**, [U] **18.11.6 Writing online help**
- stochastic frontier models, [U] **26.13 Stochastic frontier models**
- stopping command execution, [U] **10 Keyboard use**
- storage types, [U] **12.2.2 Numeric storage types**, [U] **12.4.4 String storage types**; [U] **11.4 varlists**

.stptrace filename suffix, [U] **11.6 Filenaming conventions**

str#, [U] **12.4.4 String storage types**

stream I/O versus record I/O, [U] **21 Inputting and importing data**

string functions, expressions, and operators, [U] **12.4 Strings**, [U] **23 Working with strings**

string variables, [U] **12.4 Strings**, [U] **23 Working with strings**

- inputting, [U] **21 Inputting and importing data**
- sort order, [U] **13.2.3 Relational operators**

structural equation modeling, [U] **26.3 Structural equation modeling (SEM)**

subdirectories, [U] **11.6 Filenaming conventions**

subscripts in expressions, [U] **13.7 Explicit subscripting**

subtraction operator, see arithmetic operators

.sum filename suffix, [U] **11.6 Filenaming conventions**

support of Stata, [U] **3 Resources for learning and using Stata**

survey data, [U] **26.21 Survey data**

survival-time data, [U] **26.18 Survival-time (failure-time) models**

Swagel, P., [U] **21.6 Reference**

Sybase, reading data from, [U] **21.4 Transfer programs**

syntax of Stata's language, [U] **11 Language syntax**

Systat, reading data from, [U] **21.4 Transfer programs**

system estimators, [U] **26.14 Regression with systems of equations**, also see generalized method of moments

system variables, [U] **13.4 System variables (_variables)**

T

tab expansion of variable names, [U] **10.6 Tab expansion of variable names**

tables, printing, [U] **15 Saving and printing output—log files**

Tan, W. Y., [U] **20.24 References**

Tarone, R. E., [U] **1.4 References**

technical support, [U] **3.9 Technical support**

temporary

- names, [U] **18.7.2 Temporary scalars and matrices**
- variables, [U] **18.7.1 Temporary variables**

termcap(5), [U] **10 Keyboard use**

terminfo(4), [U] **10 Keyboard use**

test command, [U] **20.12 Performing hypothesis tests on the coefficients**

time-series

- estimation, [U] **26.16 Models with time-series data**
- operators, [U] **13.9 Time-series operators**
- varlists, [U] **11.4.4 Time-series varlists**

training, [U] **3.7 Conferences and training**

transferring data

- from Stata, [U] **21.4 Transfer programs**
- into Stata, [U] **21 Inputting and importing data**, [U] **21.4 Transfer programs**

Tukey, P. A., [U] **1.4 References**

tutorials, [U] **1.2.2 Example datasets**

Twitter, see Stata on Twitter

U

underlining in syntax diagram, [U] **11 Language syntax**

underscore variables, [U] **13.4 System variables (_variables)**

Unix,

- keyboard use, [U] **10 Keyboard use**
- specifying filenames, [U] **11.6 Filenaming conventions**

updates to Stata, [U] **3.5 The Stata Journal**, [U] **3.6 Updating and adding features from the web**

updates to Stata entry, [U] **28 Using the Internet to keep up to date**

Upton, G., [U] **1.4 References**

V

value labels, [U] **12.6.3 Value labels**, [U] **13.10 Label values**

variable

- labels, [U] **11.4 varlists**, [U] **12.6.2 Variable labels**
- lists, see *varlist*
- types, [U] **11.4 varlists**, [U] **12.2.2 Numeric storage types**, [U] **12.4.4 String storage types**

_variables, [U] **11.3 Naming conventions**, [U] **13.4 System variables (_variables)**

variables,

- characteristics of, [U] **12.8 Characteristics**
- dummy, see indicator variables
- in dataset, maximum number of, [U] **6 Managing memory**
- naming, [U] **11.2 Abbreviation rules**, [U] **11.3 Naming conventions**
- storage types, see storage types
- string, see string variables
- system, see system variables
- tab expansion of, [U] **10.6 Tab expansion of variable names**

variance–covariance matrix, obtaining, [U] **20.9 Obtaining the variance–covariance matrix**

varlist, [U] **11 Language syntax**, [U] **11.4 varlists**

- existing, [U] **11.4.1 Lists of existing variables**
- new, [U] **11.4.2 Lists of new variables**
- time series, [U] **11.4.4 Time-series varlists**

version command, [U] **16.1.1 Version**, [U] **18.11.1 Version**

version control, see version command

vignettes, [U] **1.2.7 Vignettes**

W

Wald tests, [U] **20.12 Performing hypothesis tests on the coefficients**, [U] **20.12.4 Nonlinear Wald tests**

website,

stata.com, [U] **3.2.1 The Stata website (www.stata.com)**

stata-press.com, [U] **3.3 Stata Press**

Weesie, J., [U] **20.24 References**

Wei, L. J., [U] **20.24 References**

[weight=*exp*] modifier, [U] **11.1.6 weight**, [U] **20.22 Weighted estimation**

weighted data, [U] **11.1.6 weight**, [U] **20.22 Weighted estimation**, also see survey data

weights, sampling, see probability weights

Weiss, M., [U] **13.12 References**

Welsch, R. E., [U] **18.13 References**

White, H., [U] **20.23 A list of postestimation commands**, [U] **20.24 References**

Windows,

filenames, [U] **18.3.11 Constructing Windows filenames by using macros**

keyboard use, [U] **10 Keyboard use**

specifying filenames, [U] **11.6 Filenaming conventions**

www.stata.com website, [U] **3.2.1 The Stata website (www.stata.com)**

www.stata-press.com website, [U] **3.3 Stata Press**

Y

year() function, [U] **24.5 Extracting components of dates and times**